

Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/NL05/000161

International filing date: 04 March 2005 (04.03.2005)

Document type: Certified copy of priority document

Document details: Country/Office: EP
Number: 04075742.9
Filing date: 04 March 2004 (04.03.2004)

Date of receipt at the International Bureau: 01 April 2005 (01.04.2005)

Remark: Priority document submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b)



World Intellectual Property Organization (WIPO) - Geneva, Switzerland
Organisation Mondiale de la Propriété Intellectuelle (OMPI) - Genève, Suisse

15.03.05

**Europäisches
Patentamt****European
Patent Office****Office européen
des brevets****Bescheinigung****Certificate****Attestation**

Die angehefteten Unterlagen stimmen mit der ursprünglich eingereichten Fassung der auf dem nächsten Blatt bezeichneten europäischen Patentanmeldung überein.

The attached documents are exact copies of the European patent application described on the following page, as originally filed.

Les documents fixés à cette attestation sont conformes à la version initialement déposée de la demande de brevet européen spécifiée à la page suivante.

Patentanmeldung Nr. Patent application No. Demande de brevet n°

04075742.9

Der Präsident des Europäischen Patentamts;
Im Auftrag

For the President of the European Patent Office

Le Président de l'Office européen des brevets
p.o.

R C van Dijk



Anmeldung Nr.:
Application no.: 04075742.9
Demande no:

Anmeldetag:
Date of filing: 04.03.04
Date de dépôt:

Anmelder/Applicant(s)/Demandeur(s):

CSM Nederland B.V.
Nienoord 13
1112 XE Diemen
PAYS-BAS

Bezeichnung der Erfindung/Title of the invention/Titre de l'invention:
(Falls die Bezeichnung der Erfindung nicht angegeben ist, siehe Beschreibung.
If no title is shown please refer to the description.
Si aucun titre n'est indiqué se référer à la description.)

Granules containing a functional food ingredient and method for the manufacture thereof

In Anspruch genommene Priorität(en) / Priority(ies) claimed / Priorité(s)
revendiquée(s)
Staat/Tag/Aktenzeichen/State/Date/File no./Pays/Date/Numéro de dépôt:

Internationale Patentklassifikation/International Patent Classification/
Classification internationale des brevets:

A21D/

Am Anmeldetag benannte Vertragsstaaten/Contracting states designated at date of
filing/Etats contractants désignées lors du dépôt:

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LU MC NL
PL PT RO SE SI SK TR LI

GRANULES CONTAINING A FUNCTIONAL FOOD INGREDIENT AND METHOD FOR THE MANUFACTURE THEREOF

EPO - DG 1

5 TECHNICAL FIELD OF THE INVENTION

04. 03. 2004

(82)

The present invention relates to granules for use in foodstuffs, which granules contain one or more particulate functional food ingredients. More particularly, the present invention is concerned with granules that comprise a plurality of non-lipophilic particles containing one or more functional food ingredients selected from the group of enzymes, oxidoreductants, acidulants, hydrocolloids, micro-organisms and flavours; and an exterior lipophilic layer that encompasses the aforementioned non-lipophilic particles, which lipophilic layer exhibits a slip melting point of at least 30°C.

15 The present invention also provides a method for the manufacture of the aforementioned granules.

BACKGROUND OF THE INVENTION

20

Functional bakery ingredients are widely used in the baking industry to improve handling and machinability of doughs and also to improve texture, volume, flavour, and freshness (anti-staling) of the final baked product. Examples of functional bakery ingredients that can be used to "condition" a dough include enzymes, oxidoreductants, acidulants, hydrocolloids, micro-organisms and flavours.

25 An important area of application of functional bakery ingredients is bread. Bread is made from four principal ingredients: flour, yeast, salt and water. It is usually prepared in three basic steps, and the end result is a baked loaf. The steps are: (a) the principal ingredients are mixed to form a dough and worked to develop a continuous visco-elastic gluten matrix; (b) the developed dough is then proved by incubation in warm, humid conditions to promote fermentation by the yeast causing the dough to rise; (c) the risen dough is then baked to gelatinise starch, denature protein and fix the dough structure. Various additives, including the aforementioned functional bakery ingredients, are known to improve dough development and the

quality of the baked loaf. These additives are generally known as bread (or flour or dough) improvers/conditioners.

The strength of a dough is an important aspect of baking for both small-scale and large-scale applications. A strong dough has a greater tolerance of mixing time, proving time, and mechanical vibrations during dough transport, whereas a weak dough is less tolerant to these treatments. A strong dough with superior rheological and handling properties results from flour containing a strong gluten network. Flour with a low protein content or a poor gluten quality results in a weak dough.

Non-specific oxidants, such as iodates, peroxides, ascorbic acid, potassium bromate, glutathione and azodicarbonamide have a gluten strengthening effect. It has been suggested that these dough improvers induce the formation of interprotein bonds which strengthen the gluten and thereby the dough. The use of several of the currently available chemical oxidising agents has been met with consumer resistance or is not permitted by regulatory agencies.

The use of enzymes as dough improvers has been considered as an alternative to the chemical conditioners. A number of enzymes have been used recently as dough and/or bread improving agents, in particular enzymes that act on components present in large amounts in the dough. Examples of such enzymes are found within the groups of amylases, xylanases, proteases, glucose oxidases, oxygenases, oxidoreductases, trans-glutaminases and (hemi) cellulases, including pentosanases.

The use of the aforementioned dough improvers is not uncomplicated, since these functional ingredients tend to affect dough properties such as stickiness, strength and/or stability. As a result, the dough can become difficult to handle both by hand and by machines. It would thus be desirable to be able to delay the moment when the conditioner exerts its full functionality until after a selected point in time. In particular, it would be desirable to delay such a moment until all dough ingredients have been mixed and especially until such time that proving of said dough has commenced.

The general principle of lipid-encapsulating or lipid-coating food ingredients to prevent functional ingredients from exerting their functionality prematurely is known in the art. US 3,561,975 describes a pie crust shrinkage-reduction agent which maintains good handling properties before baking, said agent

consisting of substantially spherical particles each comprising shortening having embedded regularly therein proteolytic enzyme particles, said spherical particles having diameters ranging from about 150 microns to about 1.5 millimeters, said shortening comprising triglyceride having a complete melting point from about 95°
5 to about 155°F (35.0-68.3°C).

DE-A 2 203 429 is concerned with a process for the preparation of an acid composition that displays delayed dissolving behaviour, wherein a solid acid or an acid contained in a solid carrier is coated with an edible fat that is solid at ambient temperature. The melting point of the fat is in the range of 45°-60°C.

10 Fat coating of particulate functional ingredients is associated with drawbacks that are especially pronounced if said functional ingredients are non-lipophilic or if they have been pre-blended with substantial quantities of non-lipophilic components, e.g. non-lipophilic carrier materials. First of all, it is extremely difficult to prepare such coated particles with a non-leaking coating,
15 especially if the non-lipophilic material is irregularly shaped. In particular when these coated particles are used in applications that involve exposure to conditions of shear, leakage of the coated material is often inevitable. This problem may be overcome by using an excessive amount of fat. However, this is not economical and may adversely affect the release characteristics of the coated material.

20 Coated materials obtained with conventional fat coating techniques typically exhibit relatively wide particle size distributions and/or significant leakage. Particulate materials with a wide particle size distribution are susceptible to demixing during transportation and storage. Furthermore, the presence of a significant fraction of small particles, e.g. of particles smaller than 250 μm , will
25 result in so called dusting during handling. The term dusting refers to the phenomenon that particles become airborne, which in turn can give rise to health problems, such as allergenicity, when these airborne particles are inhaled.

Finally, conventional fat coating techniques are not suitable for coating blends of two or more particulate ingredients, especially not if these ingredients
30 exhibit different bulk densities or particle sizes. Fat coating of such blends of ingredients with the help of conventional techniques will typically result in an inhomogeneous non-uniform product.

SUMMARY OF THE INVENTION

The inventors have discovered that the aforementioned problems may be overcome effectively by first preparing an agglomerate of the non-lipophilic particles containing the one or more functional food ingredients, followed by coating the resulting agglomerate with an exterior lipophilic layer that exhibits a slip melting point of at least 30°C. To be more precise, the inventors have discovered that such a procedure produces particularly beneficial results if a plurality of non-lipophilic particles with an average diameter in the range of 3-300 μm is combined into an agglomerate with an average diameter in the range of 20-2000 μm before applying the exterior lipophilic layer.

In accordance with the present invention the plurality of non-lipophilic particles are agglomerated by "gluing" them together. This is suitably achieved by combining said particles with e.g. a fluid medium and processing the resulting combination under conditions that promote the formation of aggregates in which a continuous phase of said fluid medium envelops a plurality of non-lipophilic particles and holds them together. As a result, the resulting agglomerates can be coated much more easily and effectively with the lipophilic coating material than if such a coating is applied directly onto the original non-lipophilic particles.

The methodology of the present invention offers the advantage that it enables the preparation of fat coated non-lipophilic particles that do not exhibit leakage without the use of excessive amounts of fat. Moreover, the granules according to the invention show this resistance to leakage even when exposed to conditions of (limited) shear. It should be understood that the term "leakage" as used herein refers to the migration of the coated non-lipophilic material into the surrounding environment, e.g. as a result of the migration of water into the coated granule.

The granules according to the present invention can advantageously be used for delivering the functional ingredients therein in a controlled fashion. The release of such ingredients can suitably be triggered by temperature increase, resulting in melting of the exterior lipophilic layer and/or by conditions of shear that destroy the integrity of the exterior layer. The fact that the present invention enables the preparation of coated granulates that show little leakage and a homogeneous

particle size distribution offers the advantage that the release characteristics of the granulate can be tailored to the targeted application.

Furthermore, the invention facilitates the preparation of a uniform and homogeneous granulate in which the fat coated granules contain two or more very different particulate materials, e.g. enzymes and oxidoreductants. Finally, the invention provides an effective method for applying a fat coating to non-lipophilic particles that are irregularly shaped.

The granules according to the present invention are characterised in that they comprise a plurality of non-lipophilic particles that contain one or more functional food ingredients and which particles have an average diameter in the range of 3-300 μm ; a discrete continuous phase that envelops the non-lipophilic particles and holds them together, the combination of non-lipophilic particles and the continuous phase forming an agglomerate with an average diameter in the range of 20-2000 μm ; and an exterior lipophilic layer that encompasses the agglomerate, which lipophilic layer exhibits a slip melting point of at least 30°C.

DETAILED DESCRIPTION OF THE INVENION

Accordingly, one aspect of the invention relates to granules suitable for use in foodstuffs, comprising:

a. a plurality of non-lipophilic particles with an average diameter in the range of 3-300 μm , said particles containing at least 10 wt.% of one or more food components selected from the group of carbohydrates, proteins, salt and functional food ingredients, said functional food ingredients representing at least 0.1 wt.% of the non-lipophilic particles and being selected from the group of enzymes, oxidoreductants, acidulants, hydrocolloids, micro-organisms, flavours and combinations thereof;

b. a discrete continuous phase that envelops the non-lipophilic particles and holds them together, the combination of non-lipophilic particles and the continuous phase forming an agglomerate with a diameter in the range of 20-2000 μm ; and

c. an exterior lipophilic layer that encompasses the agglomerate, which lipophilic layer exhibits a slip melting point of at least 30°C.

The term "lipophilic" as used in here refers to materials that are oil soluble and that have a maximum solubility in triglyceride oil (e.g. sunflower oil) of 20 °C that is at least 10 times higher than the solubility in water of the same temperature.

The term "non-lipophilic" as used in here refers to materials that are not
5 lipophilic and whose maximum solubility in triglyceride oil of 20 °C does not exceed 0.5 wt.%, preferably does not exceed 0.1 wt.%.

The terminology "lipophilic layer" also encompasses a layer that in addition to lipophilic material contains a certain amount of non-lipophilic material. Preferably, the amount of non-lipophilic material does not exceed 20 wt.%, more
10 preferably it does not exceed 5 wt.%, most preferably the layer contains essentially no non-lipophilic material.

In a particularly preferred embodiment the non-lipophilic particles employed in accordance with the present invention are hydrophilic particles. Here the term "hydrophilic" refers to materials that are water soluble or water dispersible and that
15 dissolve or disperse at least 10 times more (in terms of the maximum amount that can be dissolved or dispersed) in water than in triglyceride oil (e.g. sunflower oil) at a temperature of 20 °C.

The terminology "hydrophilic particle" is used to describe particles that largely consist of hydrophilic materials. It is to be understood, however, that in
20 accordance with the present invention the hydrophilic particles may contain some material that is not strictly speaking hydrophilic, e.g. micro-organisms. Preferably the amount of such non-hydrophilic material contained within the hydrophilic particles does not exceed 40 wt.%, more preferably it does not exceed 20 wt. and most preferably it does not exceed 5 wt.%. Most preferably, the hydrophilic
25 materials contained in the hydrophilic particles dissolve at least 10 times more in water of 20°C than in triglyceride oil of the same temperature.

The diameter or size of particles or granules as referred to in this document is suitably determined by means of sieves in a manner well known to the skilled person. A number of sieves with decreasing pore sizes may be used to establish the
30 particle size distribution of particles and granules in terms of wt.% or vol.%. . Whenever reference is made to the average diameter/size or mean diameter/size of particles or granules this refers to the mass weighted average diameter, unless indicated otherwise.

The terminology "discrete continuous phase" refers to a phase that is present within the agglomerate as a distinguishable essentially homogeneous phase that forms a clearly identifiable interface with the non-lipophilic particles contained within the same agglomerate. In order to demonstrate the existence of such an interface it may be useful to employ staining and/or analytical techniques that are capable of detecting such interfaces.

The "slip melting point" is defined herein as the temperature at which the amount of solid phase in the melting fat has become so low that an air bubble is forced upwards in an open capillary filled with the fat.

The benefits of the present invention are particularly pronounced if the non-lipophilic particles in the granules have an average diameter in the range of 10-250 μm , more particularly in the range of 20-200 μm .

The agglomerate as defined herein before contains a plurality of non-lipophilic particles. Consequently, the diameter of the agglomerate typically exceeds at least 2 times the average diameter of the non-lipophilic particles contained therein, preferably it exceeds said average diameter by at least a factor 3. Typically, the agglomerate will have a diameter in the range of 50-1500 μm , especially within the range of 100-1200 μm , most preferably within the range of 150-1000 μm .

The granules according to the present invention offer the important advantage that they can be used to deliver functional ingredients in a controlled fashion. Such a controlled delivery is particularly desirable for functional ingredients such as enzymes, oxidoreductants, micro-organisms, acidulants and flavours. In an even more preferred embodiment the functional ingredients are selected from enzymes, oxidoreductants and combinations thereof. Most preferably, the functional ingredients are enzymes.

The non-lipophilic particles contained in the present granules preferably contain at least 30 wt.%, more preferably at least 50 wt.% and most preferably at least 80 wt.% of the one or more food components selected from the group of carbohydrates, proteins, salt and functional food ingredients. The carbohydrates and proteins or a fraction thereof may suitably be incorporated in the granules in the form of e.g. flour.

In case the functional food ingredient is an enzyme, it is beneficial to employ a combination of such enzyme and a substantial amount of non-lipophilic

carrier in the present non-lipophilic particles. Typically, if the non-lipophilic particles contain one or more enzymes, said enzymes will represent between 0.1 and 20 wt.% of the non-lipophilic particles. Functional food ingredients other than enzymes typically represent at least 1 wt.% of the non-lipophilic particles.

5 Together, the non-enzymatic functional food ingredients, if present, advantageously constitute between 3 and 80 wt.%, more preferably between 5 and 60 wt.% of the non-lipophilic particles.

As mentioned herein before, the present invention offers the advantage that it enables the preparation of homogeneous and uniform granulates that contain
10 granules in which two or more different particulate materials, especially two or more different types of non-lipophilic particles, have been incorporated. The advantages of this embodiment of the invention are particularly pronounced if the different particulate materials are not only chemically different but also exhibit substantial differences in terms of bulk density and/or mean particle size, e.g. a
15 difference in bulk density of at least 10%, or even at least 20 and/or a difference in mean particle size of at least 20% or even at least 50%.

In a particularly preferred embodiment of the invention the continuous phase that holds together the non-lipophilic particles within the agglomerate constitutes at least 10 wt.%, more preferably at least 20 wt.%, even more preferably
20 at least 30 wt.% and most preferably at least 40 wt.% of the agglomerate. Typically, said continuous phase will not represent more than 95 wt.% of the agglomerate, more preferably it does represents no more than 90 wt.% of the agglomerate.

The continuous phase that holds together the non-lipophilic particles may suitably contain at least 60 wt.%, preferably at least 80 wt.% and most preferably at
25 least 90 wt.% lipids. The lipids present in the discrete continuous phase are suitably selected from the group consisting of triglycerides, diglycerides, monoglycerides, phospholipids, datems, lactems, citrems, acetems, stearyl-lactylates, polyglycerol esters, sucrose esters of fatty acids, fatty acids, waxes, soaps and combinations thereof. More preferably, the lipids are selected from the group consisting of
30 triglycerides, diglycerides, monoglycerides, datems. Most preferably, the lipids employed are triglycerides. The use of a continuous phase based on lipids offers the advantage that it is relatively easy to enrobe the agglomerate with an exterior lipophilic layer. Furthermore, the use of lipophilic continuous phase enables the preparation of granules with unique sustained release characteristics, especially if

said continuous phase exhibits a slip melting point of at least 25 °C, more preferably of at least 30 °C.

The continuous phase may also consist of a non-lipophilic material that exhibits a strong cohesion. Thus, in another embodiment of the invention, the continuous phase contains at least 20%, preferably at least 50% hydrocolloid by weight of dry matter. The hydrocolloid is suitably selected from the group consisting of gelatine, carrageenan, xanthan gum, locust bean gum, guar gum, native starch, gum arabic, pectin, modified cellulose, gellan gum, modified starch (e.g. maltodextrin), microcrystalline cellulose, carboxymethyl cellulose, alginate and combinations thereof. More preferably, the hydrocolloid is selected from the group consisting of gelatine, xanthan gum, locust bean gum, guar gum, native starch, modified starch (e.g. maltodextrin), microcrystalline cellulose and combinations thereof. The continuous hydrocolloid based phase may suitably contain a limited amount of water that is retained therein after drying or after absorption by the hydrophilic particles, e.g. less than 20%, preferably less than 15% and more preferably less than 10% by weight of the continuous phase. The hydrocolloid based phase preferably will swell rapidly when contacted with water as this will thus aid the release of the functional ingredients contained within the granule.

The exterior lipophilic layer suitably contains at least 80 wt.%, more preferably at least 90 wt.% lipids selected from the group consisting of triglycerides, diglycerides, monoglycerides, phospholipids, datems, lactems, citrems, acetems, stearyl-lactylates, polyglycerol esters, sucrose esters, fatty acids, waxes, soaps and combinations thereof. In a particularly preferred embodiment the aforementioned lipids are selected from the group consisting of triglycerides, diglycerides, monoglycerides and datems, triglycerides being most preferred.

The present invention encompasses granules in which the composition of the discrete continuous phase and the exterior lipophilic layer are identical. According to a preferred embodiment the composition of the continuous phase and the exterior layer is different as evidenced, for instance, by a different slip melting point.

The inventors have found that granules comprising an exterior layer containing at least 50 wt.% triglyceride fat with a slip melting point of at least 30°C and at least 1 wt.% of a release agent selected from the group of monoglycerides,

diglycerides, diacetyl tartaric acid ester of mono- and/or diglyceride (datem), stearyl-lactylates, and combinations thereof, perform particularly well, especially in bakery applications. Although the inventors do not wish to be bound by theory, it is believed that the aforementioned release agents enable the controlled release of the functional bakery ingredient(s) after the granules have been incorporated in e.g. dough and in particular that they enable a release that increases rapidly with increasing temperature. As compared to the coated and encapsulated systems known from the prior art, granules provided with a coating that contains a combination of triglycerides fat and release agent offer the advantage that the functionality is generally released in a more gradual way, allowing the functional ingredient to already exert some of its functionality early on during e.g. a dough preparation process. In case of enzymes, for instance, such an early controlled action is desired to produce a baked product with good consistency and volume.

The exterior lipophilic layer can suitably represent 5-90 wt.% of the granule, the amount being largely determined by the desired release characteristics and the surface/volume ratio of the agglomerate. Typically, the exterior lipophilic layer will have a thickness within the range of 3-500 μm . Preferably said layer thickness is in the range of 4 to 100 μm , most preferably it will be in the range of 5 to 50 μm .

The granules according to the present invention advantageously contain: 3-70 wt.%, preferably 10-60 wt.% of the plurality of non-lipophilic particles; 10-80 wt.%, preferably 15-40 wt.% of the discrete continuous phase; and 10-80 wt.%, preferably 15-60 wt.% of the exterior lipophilic layer. Typically, these three components together constitute at least 80 wt.% of the granule, more preferably at least 90 wt.% of the granule and most preferably 100 wt.% of the granule.

Another aspect of the invention relates to a composition comprising at least 0.01 wt.%, preferably at least 0.1 wt.% and even more preferably at least 1 wt.% of the granules as defined herein before, wherein the average diameter of the granules is in the range of 30-1000 μm , preferably in the range of 60-2000 μm , more preferably in the range of 100-1500 μm and most preferably in the range of 200-1200 μm .

The present composition may suitably contain other, preferably particulate, ingredients in addition to the present granules. One embodiment of the present composition is a bread improver composition, especially a bread improver

composition that additionally contains at least one or more bread improving ingredients selected from the group consisting of emulsifiers, oxidoreductants, acidulants, salt, sugars, flour, yeast, protein, dairy ingredients, and fat. Typically, the present granules and the aforementioned bread improving ingredients together
5 constitute at least 20%, preferably at least 60% and most preferably at least 90% of the present composition, by weight of dry matter. The bread improver composition according to the invention may be a liquid bread improver formulation in which the granules and other bread improving ingredients are dispersed into a liquid, e.g. water or liquid triglyceride oil. Alternatively, and most preferably, the bread
10 improver composition is a particulate, free flowing powder. Typically, such a free flowing powder contains at least 80 wt.%, preferably at least 90 wt.% of particles with a particle size within the range of 200-1000 μm .

Another embodiment of the invention relates to a composition that contains at least 80 wt.%, more preferably at least 90 wt.% and most preferably at least 100
15 wt.% of the present granules. Such a composition may be applied as such directly in food products or it can suitably be pre-blended with other food ingredients, e.g. into a bread improver composition.

The desirable feature that the present granules show little or no leakage is achieved by the presence of an intact exterior lipophilic layer that seals off the non-
20 lipophilic particles from the environment. Indeed, when viewed under a microscope, the granules within the present composition contain not more than a small fraction of granules in which the exterior lipophilic layer is penetrated by one or more non-lipophilic particles. Typically, less than 30 wt.% of the granules exhibit such a defect. More preferably, less than 15 wt.%, and most preferably less
25 than 5 wt.% of the granules exhibit this particular defect.

The present invention offers the advantage that it enables the incorporation of irregularly shaped non-lipophilic particles into granules whilst ensuring that these particles are entirely encased in an exterior lipophilic layer. In order to achieve this, it is advantageous to combine the irregularly shaped non-lipophilic
30 particles into an agglomerate with a much less irregular shape. This requirement may be expressed mathematically as follows:

$$\Delta_{np} \geq 0.4 \text{ and}$$

$$\Delta_{ag} / \Delta_{np} \leq 0.6$$

wherein:

$$\Delta = E[(d_l - d_s)/(d_l + d_s)]$$

Δ_{np} represents Δ of the non-lipophilic particles;

Δ_{ag} represents Δ of the agglomerates;

d_l represents the largest diameter of a particle or agglomerate;

5 d_s represents the smallest diameter of the same particle or agglomerate;

and $E(x)$ represents the expected value for x .

In a particularly preferred embodiment, Δ_{np} is at least 0.5, most preferably at least 0.6. The ratio $\Delta_{ag} / \Delta_{np}$ preferably does not exceed 0.5, most preferably it does not exceed 0.4.

10 Another aspect of the invention relates to the use of a composition as defined herein in the preparation of dough or a batter, preferably bread dough. The dough or batter may simply be prepared by mixing the present composition with the other dough or batter components, e.g. flour, water and/or yeast. Usually the present composition is incorporated in an amount sufficient to deliver between 0.01 and 5%
15 of the present granules by weight of the dough or batter. Consequently, the present invention also provides a dough or batter comprising between 0.01 and 5 wt.% of granules as defined herein before.

Yet another aspect of the invention relates to a method of manufacturing food-grade granules, said method comprising:

- 20 a. providing non-lipophilic particles with an average diameter in the range of 3-300 μm , said particles containing at least 10 wt.% of one or more food components selected from the group of carbohydrates, proteins, salt and functional food ingredients, said functional food ingredients representing at least 0.1 wt.% of the non-lipophilic particles and being selected from the group of enzymes,
25 oxidoreductants, acidulants, hydrocolloids, micro-organisms and flavours;
- b. combining said non-lipophilic particles with a deformable, preferably fluid medium, optionally followed by a spraying, cooling, drying and/or size reduction step, to obtain an agglomerate in which a plurality of the non-lipophilic particles is enveloped by a discrete continuous phase of said deformable medium, said
30 agglomerate exhibiting an average diameter in the range of 20-2000 μm ; and
- c. applying an exterior lipophilic layer that encompasses the agglomerate, which lipophilic layer exhibits a slip melting point of at least 30°C.

The agglomerate may suitably be prepared by spraying a combination of non-lipophilic particles and fluid medium into a chamber and allowing the agglomerates to solidify, e.g. under the influence of cooling and/or drying. Alternatively, a combination of non-lipophilic particles and deformable medium
5 may be extruded into a liquid or gaseous medium in which it is allowed to solidify under the influence of cooling and/or drying (e.g. as a result of water extraction), following which solidification the extrudate is cut, ground or milled into agglomerates.

In a preferred embodiment of the present method, step b. comprises a
10 cooling and/or drying step that results in a considerable viscosity increase of the continuous phase. Even more preferably, said cooling and/or drying step results in the formation of continuous phase that exhibits a certain degree of rigidity as a result of the formation of a threedimensional solid network within said phase. Said network may, for instance, result from crystallisation and/or gelation.

In one particular embodiment of the invention the deformable medium
15 employed contains at least 60 wt.%, preferably at least 80 wt.% and most preferably at least 90 wt.% lipids. The lipids present in the medium are selected from the group consisting of triglycerides, diglycerides, monoglycerides, phospholipids, datems, lactems, citrems, acetems, stearyl-lactylates, polyglycerol esters, sucrose
20 esters of fatty acids, fatty acids, waxes, soaps and combinations thereof. More preferably, the lipids are selected from the group consisting of triglycerides, diglycerides, monoglycerides, datems. Most preferably, the lipids employed are triglycerides. It is strongly preferred to employ a fluid medium with a slip melting point of at least 25 °C, more preferably of at least 30 °C as this will produce strong
25 agglomerates and introduces advantageous sustained release characteristics.

In an alternative embodiment, the deformable medium is an aqueous paste of dough-like consistency containing one or more hydrocolloids in an amount effective to turn said aqueous medium into a rigid configuration as a result of the processing conditions employed in the present method. Suitable examples of gelling
30 hydrocolloids include gelatine, carrageenan, xanthan gum, locust bean gum, guar gum, gum arabic, native starch, pectin, modified cellulose, gellan gum, modified starch (e.g. maltodextrin), microcrystalline cellulose, carboxymethyl cellulose, alginate and combinations thereof. More preferably, the gelling hydrocolloid is selected from the group consisting of gelatine, xanthan gum, locust bean gum, guar

gum, maltodextrin, native starch, microcrystalline cellulose and combinations thereof.

The present method may suitably employ any agglomeration technique known in the art such as spray chilling, fluid bed granulation, Schugi® agglomeration, "wet" agglomeration in a mixing chamber, compaction and extrusion. In a particularly preferred embodiment, the agglomerate is produced by means of spray chilling, fluid bed granulation, extrusion or spray drying. Most preferably, spray chilling is employed. Spray chilling is particularly suitable for producing agglomerate from non-lipophilic particles and a lipophilic fluid medium with a slip melting point of at least 25°C.

It is noted that the present invention also encompasses a method wherein subsequent to agglomeration and prior to the coating step c. the agglomerate is subjected to a size reduction treatment (e.g. milling), a fractionation step (e.g. sieving or wind sifting), a rounding off treatment or an intermediate coating step.

The coating step c. of the present method can suitably be executed using coating techniques well known in the art. Preferably, the coating technique employed is selected from spray chilling or fluidised bed coating. Most preferably the exterior lipophilic layer is applied by means of fluidised bed coating. Fluidised bed coating offers the advantage that the agglomerates are not exposed to substantial abrasive forces. Thus, coated particles with a very uniform particle size and intact exterior coatings can be prepared relatively easily.

The invention is further illustrated by means of the following examples:

EXAMPLES

Example 1

Spray chilling

A steep melting fat (Akofine™ W00; N₂₅=89%; N₃₀=48%; N₃₅=3%) with a melting point of 35 °C was molten in a container. Fungamyl™ 1600 BG (ex Novozymes), a bakery enzyme (amylase) granulate with a mean particle size of 160 µm, was milled to a mass weighted mean diameter of 87 µm and subsequently dispersed into the molten fat with the

help of a high shear mixer (Polytron PT3100). The resulting fat dispersion contained 10 wt.% enzyme granulate.

Atomisation of the molten fat dispersion was performed with a heated two-fluid spray nozzle. The nozzle was kept at a preset temperature well above the melting point of the fat.

5 The fat dispersion was fed via a peristaltic pump through heated tubes towards the nozzle and atomised by nitrogen gas under pressure. The particle size of the atomized fat was adjusted to around 500 μm by adapting the atomisation pressure. The droplets were sprayed into a liquid nitrogen bath and collected at the end of the process. The granulate so obtained had a mass weighted average diameter of about 500 μm .

10 The fat coated particulate material so obtained was divided into two samples, i.e. granulate A and granulate B.

Fluidised bed coating

A GPCG-1.1 fluidised bed coater of the firm Glatt with Wurster geometry and hot-melt facilities was used for applying an external coating to the spray chilled particles contained in sample A as well as to the milled Fungamyl™ 1600 BG enzyme preparation. The hot-melt Wurster method employs a high-velocity air stream through a cylinder that is centrally placed just above the air inlet at the narrow bottom of a conus shaped chamber. The air speed inside the cylinder is significantly higher than outside. Thus, during operation, the fluid bed of particles is continuously circulating upwards through the cylinder and downwards outside the cylinder.

Granulate A was introduced into the conus shaped chamber of the coating apparatus and a fluidised bed was formed. The coating material, i.e. the same fat as used in the spray chilling step, was molten and fed through heated tubes towards the nozzle. The fat coating was applied onto the granulate A by spraying the molten fat from the nozzle onto the fluidised granules within the cylinder. During the coating process particles left the top of the cylinder and descended back into the fluidized bed. Cool air congealed the coating during the descent so that the particles were ready to be recoated once they reached the bottom of the chamber. The granulate A so obtained had a mass weighted average particle size of about 600 μm . Of the fat contained in the granulate A, 50% was present within the spray chilled core particle and 50 % in the fat layer that was applied during fat coating.

The milled enzyme granulate was coated in the same fashion. The resulting coated granulate C had a mass weighted average particle size of 285 μm . The fat layer applied during the coating process represented 59% wt.% of the granulate C.

Microscopy

Granulates A and B were studied under a light microscope using the bright field mode. Since the fat contained in the granules is more translucent than the Fungamyl™ particles it was readily apparent from the microscopic images that a plurality of the enzyme particles had been entrapped within the granulates A and B.

A significant fraction of the enzyme particles in granulate B were embedded in the exterior surface of the granules, i.e. in direct contact with the surrounding atmosphere. In contrast, the microscopic images of granulate A showed that the granules contained an intact coating layer of about 20-50 µm thickness which enveloped the enzyme containing core granule.

Drawings

Figures 1 and 2 provide a schematic cross-sectional representation of granules that are typical of granulate A and B. These drawings were prepared on the basis of the microscopic images discussed above.

Figure 1 shows granule 1 as obtained after spray chilling a dispersion of enzyme material in fat. The granule 1 contains a plurality of particles 3 consisting of enzyme material. These particles 3 are enrobed and held together by a continuous fat phase 2. A significant number of the particles 3 in granule 1 are only partially embedded in the continuous fat phase 2 and in direct contact with the outside atmosphere. Figure 1 also shows that granule 1 is much more regularly e.g. spheroidally shaped than the plurality of particles 3 entrapped therein.

Figure 2 shows granule 5 as obtained after fluidised bed coating of granule 1. Granule 5 contains an exterior fat coating 4 that fully envelops the granule 1 obtained from the aforementioned spray chilling step. As is evident from figure 2, the fat coating 4 seals off all the particles 3 from the surrounding atmosphere. Thus, when in direct contact with water, granule 5 will exhibit much less leakage than granule 1.

Stability test

The stability of granulates A, B and C was assessed by dispersing a small quantity of the granulates in deionised water of 20 °C. The conductivity of the water was monitored a function of time. The conductivities measured were expressed as a

percentage of the maximum conductivity measured when the granulate had been totally destroyed by heating to 60 °C.

The results showed that within 20 minutes conductivity for granulate C had increased to 80% of maximum conductivity. The conductivity increase observed for granulate B was less steep, but after 100 minutes conductivity had increased to 24% of the maximum value. In contrast, no significant increase in conductivity was observed for granulate A after 100 minutes. Even after 20 hours the conductivity for granulate A had increased to not more than 10% of the maximum conductivity.

Example 2

Granulates A and B were produced in the same way as described in Example 1, except that granulate A was obtained by coating granulate B with a much smaller amount of fat. Of the fat contained in granulate A 85% was present within the spray chilled core particle and 15 % in the fat layer that was applied during fat coating. Again, the conductivity test showed that granulate A was much more stable than granulate B.

Example 3

The following ingredients were dry-mixed in the weight ratios indicated:
High amylose starch (National 1900, ex National Starch); maltodextrin (Granadex™ MD20, ex Avebe); micro crystalline cellulose (Vivapur™ MCC, type 101, ex Rettenmaier & Sohne); Fungamyl™ 1600 BG in a weight ratio of 22.5 : 22.5 : 45 : 10.

Water was added (40 wt.% of wet mix) and the wet mix was kneaded till a dough with a short structure had been formed. This dough was extruded under low pressure from a Nica™ basket extruder. The spaghetti-like extrudate was dropped onto a rotating disk at the bottom of a spheronisation drum. Here, the extrudate was fractured and spheronised. Small amounts of micro crystalline cellulose were added in this process to reduce stickiness of the particles. The spheronised granulate was subsequently dried in a fluid bed drier (Glatt GPCG 1.1). The granulate so obtained had a mass weighted mean diameter of 1.5 mm.

Subsequently, the dried granulate was coated in a fluidised bed coater as described in Example 1. The resulting coated granulate had a mass weighted mean diameter of 1.6 mm.

Conductivity tests were performed as described in Example 1 and showed that the coated particles exhibited little leakage.

CLAIMS

1. Granules suitable for use in foodstuffs, comprising:
 - a. a plurality of non-lipophilic particles with an average diameter in the
5 range of 3-300 μm , said particles containing at least 10 wt.% of one or more food components selected from the group of carbohydrates, proteins, salt and functional food ingredients, said functional food ingredients representing at least 0.1 wt.% of the non-lipophilic particles and being selected from the group of enzymes, oxidoreductants,
10 acidulants, hydrocolloids, micro-organisms, flavours and combinations thereof;
 - b. a discrete continuous phase that envelops the non-lipophilic particles and holds them together, the combination of non-lipophilic particles and the continuous phase forming an agglomerate with a diameter in the range
15 of 20-2000 μm ; and
 - c. an exterior lipophilic layer that encompasses the agglomerate, which lipophilic layer exhibits a slip melting point of at least 30°C.
2. The granules according to claim 1, wherein the continuous phase contains at
20 least 60 wt.%, preferably at least 80 wt.% lipids.
3. The granules according to claim 2, wherein the lipids are selected from the group consisting of triglycerides, diglycerides, monoglycerides, phospholipids, datems, lactems, citrems, acetems, stearyl-lactylates,
25 polyglycerol esters, sucrose esters of fatty acids, fatty acids, waxes, soaps and combinations thereof.
4. The granules according to claim 1, wherein the continuous phase contains at
30 least 20%, preferably at least 50% hydrocolloid by weight of dry matter.
5. The granules according to any one of claims 1-4, wherein the hydrocolloid is selected from the group consisting of gelatine, carrageenan, xanthan gum, locust bean gum, guar gum, gum arabic, native starch, modified starch,

pectin, modified cellulose, gellan gum, microcrystalline cellulose, carboxymethyl cellulose, alginate and combinations thereof.

- 5 6. The granules according to any one of the preceding claims, wherein the functional food ingredient is selected from the group consisting of enzymes, oxidoreductants, acidulants, micro-organisms, flavours and combinations thereof.
- 10 7. The granules according to any one of the preceding claims, wherein the exterior lipophilic layer contains at least 80 wt.% lipids selected from the group consisting of triglycerides, diglycerides, monoglycerides, phospholipids, datems, lactems, citrems, acetems, stearyl-lactylates, polyglycerol esters, sucrose esters, fatty acids, waxes, soaps and combinations thereof.
- 15 8. The granules according to any one of the preceding claims, said granules containing:
3-70 wt.%, preferably 10-60 wt.% of the plurality of non-lipophilic particles;
20 10-80 wt.%, preferably 15-40 wt.% of the discrete continuous phase; and
10-80 wt.%, preferably 15-60 wt.% of the exterior lipophilic layer.
- 25 9. A composition comprising at least 0.01 wt.% granules according to any one of the preceding claims, wherein the average diameter of the granules is in the range of 30-3000 μm , preferably in the range of 60-2000 μm .
10. Use of a composition according to claim 11 in the preparation of a dough or a batter, preferably a bread dough.
- 30 11. A dough or a batter comprising between 0.01 and 5 wt.% of the granules according to any one of claims 1-9.
12. A method of manufacturing food-grade granules, said method comprising:

- a. providing non-lipophilic particles with an average diameter in the range of 3-300 μm , said particles containing at least 10 wt.% of one or more food components selected from the group of carbohydrates, proteins, salt and functional food ingredients, said functional food ingredients representing at least 0.1 wt.% of the non-lipophilic particles and being selected from the group of enzymes, oxidoreductants, acidulants, hydrocolloids, micro-organisms, flavours and combinations thereof;
- b. combining said non-lipophilic particles with a deformable medium, optionally followed by a spraying, cooling, drying and/or size reduction step, to obtain an agglomerate in which a plurality of the non-lipophilic particles is enveloped by a discrete continuous phase of said medium, said agglomerate exhibiting an average diameter in the range of 20-2000 μm ; and
- c. applying an exterior lipophilic layer that encompasses the agglomerate, which lipophilic layer exhibits a slip melting point of at least 30°C.
13. The method according to claim 12, wherein the deformable medium contains at least 60 wt.%, preferably at least 80 wt.% lipids selected from the group consisting of triglycerides, diglycerides, monoglycerides, phospholipids, datems, lactems, citrems, acetems, stearyl-lactylates, polyglycerol esters, sucrose esters, fatty acids, waxes, soaps and combinations thereof.
14. The method according to claim 12, wherein the fluid medium is an aqueous paste containing one or more hydrocolloids in an amount effective to turn said aqueous paste into a rigid configuration under the processing conditions applied in the method.
15. The method according to any one of claims 12-14, wherein step b. employs spray chilling, fluid bed agglomeration, extrusion or spray drying.
16. The method according to any one of claims 12-15, wherein step c. employs spray chilling or fluidised bed coating.

17. The method according to any one of claims 15-19, wherein step b. employs spray chilling to obtain the agglomerate and step c. employs fluidised bed coating to apply the exterior lipophilic layer.

04. 03. 2004


ABSTRACT

(82)

The present invention relates to granules suitable for use in foodstuffs, comprising:

- 5 a. a plurality of non-lipophilic particles with an average diameter in the range of 3-300 μm , said particles containing at least 10 wt.% of one or more food components selected from the group of carbohydrates, proteins, salt and functional food ingredients, said functional food ingredients representing at least 0.1 wt.% of the non-lipophilic particles and being selected from the group of enzymes, oxidoreductants, acidulants, hydrocolloids, micro-
10 organisms, flavours and combinations thereof;
- b. a discrete continuous phase that envelops the non-lipophilic particles and holds them together, the combination of non-lipophilic particles and the continuous phase forming an agglomerate with a diameter in the range of 20-2000 μm ; and
- 15 c. an exterior lipophilic layer that encompasses the agglomerate, which lipophilic layer exhibits a slip melting point of at least 30°C.

Fig 1



EPO - DG 1

04. 03. 2004

(82)

Fig 2

